





REV.	ECN NO.	CONTENT	DATE	ENGINEER
A0		Initial release	2023 07/21	JM_Zheng
A1	EN2308014	外壳边缘由3.86改为4.36	2023 08/23	JM_Zheng
A2	EN2312003	Nylon改为LCP	2023 12/13	JM_Zheng









RECOMMENDED PCB LAYOUT
GENERAL TOLERANCE ± 0.05



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION. PDWG:NO: 9999-9		深圳市步步精科技有限公司 .X: ± 0.28 X': $\pm 3^*$.XX: ± 0.18 .X': $\pm 1^*$.XXX: ± 0.08 .XX': $\pm 1^*$		NAME: TYPE-C 16P 母座 L=6.5 CH1.73 板上 型 四脚插 全框 DIP (WP 8) 压铸壳	
APPD.		PJ. NO.: UC.01.11-1N-0019		SIZE: A4 DRW NO.: CC23-0001	
CHKD.		FINISH: SEE NOTES		MAT'L.: SEE NOTES	
DR.		SCALE: N/A		REV.: A2 UNIT: mm PAGE: 2/3	



REV.	ECN NO.	CONTENT	DATE	ENGINEER
AO		Initial release	2023 07/21	LYX
A1	EN2308014	外壳边缘由3.86改为4.36	2023 08/23	JM_Zheng
A2	EN2312003	Nylon改为LCP	2023 12/13	JM_Zheng



1. 包装方式:

1. 使用半自动包装机, 先将CARRY TAPE 送入导轨中, 并与COVER TAPE 贴合在上面, 将产品如图示方向依次放入CARRY TAPE内, 每REEL共包装产品见下表
1. 2. 用胶带将CARRY TAPE粘在一起, 外围再用塑胶带缠绕一圈, 按客户要求REEL 贴上LABEL, 注明料号, 日期, 数量.
1. 3. 如图示, 将装好的REEL装入PE袋内, PE袋内放置2Pcs干燥剂, 然后在外箱底部放1Pcs纸板, 纸箱内4个角分别放置1个三角板, 再将PE袋内REEL放入纸箱内, 顶部再加盖一个纸板, 最后用胶带封箱, 并在纸箱外相应的地方贴上标签.
1. 4. 包装数量: 见下表



⑪	LABEL (CARTON) 纸箱标签	1Pcs	80mm*50mm
⑩	CARTON (纸箱)	1Pcs	L350*W350*H325 (内尺寸)
⑨	FOLDER PAPER BOARD (护角)	4Pcs	(85+85+85+85) *310
⑧	DESICCANT (干燥剂)	2Pcs	
⑦	PE Bag (PE袋)	1Pcs	520*320*460, T=0.05mm
⑥	PAPER BOARD (纸板)	2Pcs	(85+85+85+85) *310
⑤	LABEL (TAPE REEL) 标签	10Pcs	80mm*50mm
④	REEL (卷轴)	10R	Ø330mm, H=24.5mm
③	COVER TAPE (盖带)	1R	PET, W=21.3mm
②	TAPE REEL (载带)	10Pcs	PET, W=24mm, T=0.5mm, 总长9.4M
①	产品总数	12000Pcs	N/A
NO.	DESCRIPTION	QTY	MATERIAL

THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co., Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.				深圳市步步精科技有限公司			
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		.X': ±3' .X'': ±2' .X'X': ±1'		NAME: TYPE-C 16P 母座 L=6.5 CH1.73 板上型 四脚插 全框 DIP (WP 8) 压铸壳			
APPD.		CHKD.		PJ. NO.: UC.01.11-1N-0019			
DR.				SIZE: A4 DRW NO.: CC23-0001			
PDWG.NO: 9999-9				FINISH: SEE NOTES MAT'L.: SEE NOTES			
				SCALE: N/A REV.: A2 UNIT: mm PAGE: 3/3			