






REV.	ECN NO	CONTENT	DATE	ENGINEER
A0		Initial release	/	TSP



- NOTES:
1. RATING: 12VDC 50mA
(额定电压电流: 12VDC 50mA)
 2. CONTACT RESISTANCE: 100mΩ Max 1分钟)
(接触电阻: 不超过100毫欧)
 3. INSULATION RESISTANCE: 100MΩ 250VDC FOR 1MIN
(绝缘电阻: 最小100MΩ 250VDC)
 4. DIELECTRIC STRENGTH: 250VAC (50/60Hz) FOR 1MIN
(耐电压: 最小250VAC 1分钟)
 5. LIFE TEST: 100,000 CYCLES
(寿命测试: 10万次)
 6. OPERATION FORCE: 160/250±50gf
(力度: 160/250±50g)
 7. TRAVEL: 0.25±0.1mm
(行程: 0.25±0.1mm)





CIRCUIT



1. LED分散光和聚光
2. 帽子尺寸: 7.5/8.0/8.2/10.0.....
帽子喷油颜色: 黑色和银色
帽子符号方向可以为任何方向




P. C. B LAYOUT



7	COVER	ABS
6	LED	InGaN Water clear
5	CONTACT	SUS
4	BUTTON	PA66 WHITE
3	HOUSING	PA66 BLACK
2	TERMINAL	Bronze Silver Plated
1	FIX	PA66 BLACK
ITEM	PART NAME	MATERIAL



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co., Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		PDWG.NO: 0292-2		深圳市步步精科技有限公司	
.X: ±0.38	X': ±3'	NAME: 轻触带灯开关 RPB01-107RFL-RW-01-Bk 侧按250gf Φ10 红白双灯 (开关盒装 帽子袋装)		PJ. NO.: TS.43.30-4D-3Y-01 SIZE: A4 DRW NO.: FINISH: SEE NOTES MAT'L.: SEE NOTES SCALE: N/A REV.: A0 UNIT: mm PAGE: 1/3	
.XX: ±0.25	X': ±2'				
.XXX: ±0.13	.XX': ±1'	APPD.	JM_Zheng	CHKD.	LYX
DR.	TSP				



纸箱规格: 350*210*290


1. 包装要求:

- 1.1 每盒吸塑盒包装1250pcs;
- 1.2 每20盘放一箱, 共计25000PCS;
- 1.3 纸箱外贴上标签。


THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		 深圳市步步精科技有限公司		NAME: 轻触带灯开关 RPB01-107RFL-RW-01-Bk 250gf 110 0°xÉ«µE (¿¹Ø°Ð×° Ã±×Ó'ü×°)	
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		X': ±3" .X': ±2" .XX': ±1"		APPD. JM_Zheng	
CHKD. LYX		DR. TSP		PJ. NO.: TS.43.30-4D-3Y-01	
PDWG.NO: 0292-2		SCALE: N/A		REV.: A0	
		UNIT: mm		PAGE: 2/3	

REV.	ECN NO	CONTENT	DATE	ENGINEER
A0		Initial release	/	TSP

PE袋规格: 260*185



成品标签



1. 包装要求:

- 1.1 每个PE袋包装2500pcs;
- 1.2 每1袋放一小纸盒;
- 1.3 每20个小纸盒放一个纸箱, 共计50000pcs;
- 1.4 纸箱外贴上标签



THIS DOCUMENT IS THE SOLE PROPERTY OF BBJconn Technology Co.,Ltd. Corporation AND SHOULD NOT BE USED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN PERMISSION.		深圳市步步精科技有限公司	
.X: ±0.38 .XX: ±0.25 .XXX: ±0.13		X*: ±3" .X*: ±2" .XX*: ±1"	
NAME: 轻触带灯开关 RPB01-107RFL-RW-01-Bk 侧按250gf Φ10 红白双灯 (开关盒装 帽子袋装)		PJ. NO.: TS.43.30-4D-3Y-01	
APPD. JM_Zheng		SIZE: A4 DRW NO.:	
CHKD. LYX		FINISH: SEE NOTES MAT'L.: SEE NOTES	
PDWG.NO: 0292-2		SCALE: N/A REV.: A0 UNIT: mm PAGE: 3/3	
DR. TSP			